



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

### MATERIAL SAFETY DATA SHEET

#### TOUCH 1.5 ULV (Bifenthrin 15ULV)

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME** : TOUCH 1.5ULV INSECTICIDE/MITICIDE

**ACTIVE INGREDIENT** : Bifenthrin

**CHEMICAL FAMILY** : Pyrethroid Pesticide

**MOLECULAR FORMULA** :  $C_{23}H_{22}ClF_3O_2$  (Bifenthrin)

#### SYNONYMS

(2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

**MANUFACTURER** : ANGLO GULF LIMITED

**Address** : 16887, Jebel Ali Free Zone, Dubai UAE

**Tele** : +971 4 88 35039

**Fax** : +971 4 88 35853

**E-mail id** : [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)

**Website** : [www.anglogulf.ae](http://www.anglogulf.ae)

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS#</u>	<u>Wt.%</u>	<u>EC No.</u>	<u>EC Class</u>
Bifenthrin	82657-04-3	1.5%	None	R25; R50/53
Aromatic Hydrocarbons	64742-95-6	73.5	265-199-0	R22, 45, 65
1,2,4-trimethylbenzene	95-63-6	5.0	202-436-9	R10, 20, 36/37/38, 51, 53
Xylene	1330-20-7	20.0	215-535-7	R10-20/21-38

#### 3. HAZARDS IDENTIFICATION

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

### EMERGENCY OVERVIEW

#### IMMEDIATE CONCERNS:

- Amber liquid with an aromatic hydrocarbon odor.
- Moderately combustible. May support combustion if heated above the product's flash point (see Section 5, "Fire Fighting Measures" below).
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.
- Highly toxic to fish and aquatic organisms. Keep out of drains and water courses.
- Moderate oral toxicity.

#### POTENTIAL HEALTH EFFECTS

Effects from overexposure result from either swallowing or coming into contact with the skin. Symptoms of overexposure include tremors, convulsions, in coordination, decreased locomotion and nasal discharge. Contact with Bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours.

**MEDICAL CONDITIONS AGGRAVATED:** None presently known.

## 4. FIRST AID MEASURES

### EYES

Flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.

### SKIN

Wash with plenty of soap and water.

### INGESTION

Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

### INHALATION

Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

### NOTES TO MEDICAL DOCTOR

This product has moderate oral and, low dermal and inhalation toxicity. It is minimally irritating to the eyes and non-irritating to the skin. This product contains light aromatic hydrocarbons that can produce a severe pneumonitis or fatal pulmonary edema if aspirated during vomiting. Consideration should be given to gastric lavage with an endotracheal tube in place. Reversible skin sensations (paraesthesiae) may occur and ordinary skin salves have been found useful in reducing discomfort. Treatment is

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

otherwise controlled removal of exposure followed by symptomatic and supportive care.

### 5. FIRE FIGHTING MEASURES

**FLASH POINT AND METHOD:** 42°C (108°F) (CC)

**EXTINGUISHING MEDIA:** Foam, CO2 or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

**FIRE / EXPLOSION HAZARDS:** Moderately combustible. When heated above the flash point, this material releases vapors which, when mixed with air, can burn or be explosive.

**FIRE FIGHTING PROCEDURES:** Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon monoxide, carbon dioxide, hydrogen chloride and hydrogen fluoride.

### 6. ACCIDENTAL RELEASE MEASURES

#### RELEASE NOTES

Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area. Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal. To clean and neutralize spill area, tools and equipment, wash with a suitable solution of caustic or soda ash, and an appropriate alcohol (i.e., methanol, ethanol or isopropanol). Follow this by washing with a strong soap and water solution. Absorb, as above, any excess liquid and add to the drums of waste already collected. Repeat if necessary. Dispose of drummed waste according to the method outlined in Section 13, "Disposal Considerations".

### 7. HANDLING AND STORAGE

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

### GENERAL PROCEDURES

Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Keep out of reach of children and animals. Do not freeze. Do not store below 4°C (40°F). If crystals are observed, warm material to above 15°C (60°F) by room heating only. Do not use external source of heat for warming container. Shake container periodically to redissolve crystals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### ENGINEERING CONTROLS

Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

### PERSONAL PROTECTIVE EQUIPMENT

#### EYES AND FACE

For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

#### RESPIRATORY

For splash, mist or spray exposure wear, as a minimum, a properly fitted half-face or full-face air-purifying respirator which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

#### PROTECTIVE CLOTHING

Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

#### WORK HYGIENIC PRACTICES

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking or using tobacco. Shower at the end of the workday.

**GLOVES:** Wear chemical protective gloves made of materials such as Nitrile, neoprene or Viton® brand. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الإمارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

<b>ODOR</b>	: Aromatic hydrocarbon
<b>APPEARANCE</b>	: Amber liquid
<b>SOLUBILITY IN WATER</b>	: practically in soluble in water
<b>SPECIFIC GRAVITY</b>	: 0.94 - 0.96 @ 20°C (water = 1)
<b>MOLECULAR WEIGHT</b>	: 422.88 (Bifenthrin)
<b>WEIGHT PER VOLUME</b>	: 7.8 - 8.0 lb/gal. (940 - 960 g/L)

### 10. STABILITY AND REACTIVITY

<b>CONDITIONS TO AVOID</b>	: Excessive heat and fire.
<b>STABILITY</b>	: Stable
<b>POLYMERIZATION</b>	: Will not occur

### 11. TOXICOLOGICAL INFORMATION

<b>EYE EFFECTS</b>	: Minimally irritating (rabbit)
<b>SKIN EFFECTS</b>	: Non-irritating (rabbit)
<b>DERMAL LD<sub>50</sub></b>	: >2000 mg/kg (rabbit)
<b>ORAL LD<sub>50</sub></b>	: 262 mg/kg (rat)
<b>INHALATION LC<sub>50</sub></b>	: 1.86 mg/L/4 hr (rat)

#### SENSITIZATION

This product produces skin sensitization (allergic reaction) in laboratory animals, and may produce similar effects in humans.

#### ACUTE EFFECTS FROM OVEREXPOSURE

This product has moderate oral and, low dermal and inhalation toxicity. It is minimally irritating to the eyes and non-irritating to the skin. Signs of toxicity in laboratory animals included tremors, clonic convulsions, ataxia, decreased locomotion, bloody tears and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with Bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours. Inhalation of aromatic hydrocarbon vapors may cause dizziness, disturbances in vision, drowsiness, respiratory irritation, and eye, skin and mucous membrane irritation.

Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs which may result in fatal pulmonary edema. Exposure to Butanol vapors

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

may produce headaches, drowsiness and irritation of the nose and throat. Excessive exposures to Butanol liquid or vapors may result in contact dermatitis and irritation of the mucous membranes.

### CHRONIC EFFECTS FROM OVEREXPOSURE

No data available for the formulation. In studies with laboratory animals, Bifenthrin did not cause reproductive toxicity or teratogenicity. Tremors were associated with repeated exposure of laboratory animals to Bifenthrin. In lifetime feeding studies conducted with rodents, a slight increase in the incidence of urinary bladder tumors at the highest dose in male mice was considered to be an equivocal response, not evidence of a clear compound-related effect. The overall absence of genotoxicity has been demonstrated in mutagenicity tests with Bifenthrin. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage. Inhalation of xylene vapors at high doses has also resulted in an increased incidence of malformations and decreases in fetal weight in laboratory animals. Damage from xylene may be potentiated by alcohol. Disturbances in hearing and balance have been reported in workers exposed to Butanol vapors. Under the conditions of 2-year inhalation studies, conducted by the National Toxicology Program (NTP), there was clear evidence of carcinogenic activity of Ethylbenzene in male rats based on increased incidences of renal tubule neoplasms. The incidences of testicular adenoma were also increased. There was some evidence of carcinogenic activity in female rats based on increased incidences of renal tubule adenomas. There was some evidence of carcinogenic activity in male mice based on increased incidences of alveolar/bronchiolar neoplasm. There was some evidence of carcinogenic activity in female mice based on increased incidences of hepatocellular neoplasms. Studies conducted by the International Agency for Research on Cancer (IARC) showed that there is inadequate evidence in humans for the carcinogenicity of Ethylbenzene and that there is sufficient evidence in experimental animals; therefore, the overall evaluation shows that Ethylbenzene is possibly carcinogenic to humans (Group 2B).

## 12. ECOLOGICAL INFORMATION

Unless otherwise indicated, the data presented below are for the active ingredient.

### ENVIRONMENTAL DATA

Bifenthrin has moderate stability in the soil under aerobic conditions (half-life range from 65 - 125 days depending on soil type) and is stable at a wide range of pH values. Bifenthrin has a high Log Pow (>6.0), a high affinity for organic matter, and is not mobile in soil. Therefore, there is little potential for movement into ground water. There is the potential for Bifenthrin to bioconcentration (BCF = 11,750).

### ECOTOXICOLOGICAL INFORMATION

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

Bifenthrin is highly toxic to fish and aquatic arthropods and LC50 values range from 0.0038 to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on mollusks at its limit of water solubility. Bifenthrin is only slightly toxic to both water fowl and upland game birds (LD50 values range from 1,800 mg/kg to >2,150 mg/kg).

### 13. DISPOSAL CONSIDERATIONS

#### DISPOSAL METHOD

Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

#### EMPTY CONTAINER

Non-returnable containers which held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

### 14. TRANSPORT INFORMATION

#### SPECIAL SHIPPING NOTES:

##### U.S. DEPARTMENT OF TRANSPORTATION (DOT):

##### Non-bulk Packages

Proper Shipping Name	: pesticide, liquid, toxic, flammable
Technical Name(s)	: Bifenthrin, aromatic hydrocarbons
Class or Division	: 6.1
Subsidiary Class or Division	: 3
ID Number	: UN 2903
Packing Group	: III
Label(s)	: 6.1 and 3
ERG No.	: 131

##### Bulk Packages

Proper Shipping Name	: pesticide, liquid, toxic, flammable
Technical Name(s)	: Bifenthrin, aromatic hydrocarbons

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: www.anglogulf.com  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الإمارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: agadxbme@emirates.net.ae



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

Class or Division	: 6.1
Subsidiary Class or Division	: 3
ID Number	: UN 2903
Packing Group	: III
Reportable Quantity (RQ)	: xylene
Marine Pollutant(s)	: Bifenthrin
Label(s)	: 6.1 and 3
Placard(s)	: 6.1
Mark(s)	: 3351
ERG No.	: 131

**Notes:** Xylene is a Reportable Quantity when in packages containing 9259.26 pounds (1170.6 gallons) or more of this product.

### ADR - EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD:

UN Number	: UN 2903
Name and Description	: pesticide, liquid, toxic, flammable
Technical Name(s)	: Bifenthrin, aromatic hydrocarbons
Class or Division	: 6.1
Classification Code	: TF2
Packing Group	: III
Hazard Identification Number	: 63
Marine Pollutant	: Bifenthrin
Label(s)	: 6.1 and 3
Placard(s)	: 6.1 and 3
Marks	: UN 2903 and Marine Pollutant
Road or Rail	: ADR

**Notes:** Packages marked in accordance with the IMDG Code are accepted for shipment.

### INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) / INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

Proper Shipping Name	: pesticide, liquid, toxic, flammable (Bifenthrin , aromatic hydrocarbons)
Class or Division	: 6.1
UN or ID Number	: UN 2903
Packing Group	: III
Subsidiary Risk	: 3

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)





# انجلو جلف المحدودة

## ANGLO GULF LIMITED

### Packing Instruction

Ltd Qty	: Y611 / 2 L
Passenger & Cargo	: 611 / 60 L
Cargo Aircraft Only	: 618 / 220 L
ERG Code	: 6F
<b>HARMONIZED SYSTEM:</b>	
Import to the U.S.A.	: 3808.10.2500
Export from the U.S.A.	: 3808.10.0000

## 15. REGULATORY INFORMATION

### UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):** Not listed

**SECTION 311 HAZARD CATEGORIES (40 CFR 370):** Immediate, Delayed, Fire

**SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):** The threshold planning quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs. This product contains the following ingredients with a TPQ of less than 10,000 lbs.: None

**SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):** This product contains the following ingredients subject to Section 313 reporting requirements: (Bifenthrin) (1,2,4-trimethylbenzene) (xylene, mixed isomers) (Ethylbenzene)

**CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT):** Listed.

<u>Chemical Name</u>	<u>Wt.%</u>	<u>RQ</u>
Xylene	1.1 - 2	100 lbs.
Cumene	0.5 - 0.9	5000 lbs.
Ethylbenzene	0.04 - 0.06	1000 lbs.

### COMMENTS:

Australian Hazard Code	: 3XE
U.S. EPA Signal Word	: WARNING

## 16. OTHER INFORMATION

### EU CLASSIFICATIONS

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: www.anglogulf.com  
Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: agadxbme@emirates.net.ae



# انجلو جلف المحدودة

## ANGLO GULF LIMITED

### Bifenthrin technical

#### EU Symbols

: T (Toxic); N (Dangerous for the environment)

#### EU Risk Phrases

: R25 (Toxic by Inhalation)

R50 (Very toxic to aquatic organisms)

R53 (May cause long term adverse effects in the aquatic Environment)

#### EU Safety Phrases

: S1/2 (Keep locked up and out of the reach of children)

S29 (Do not empty into drains)

S45 (In case of accident or if you feel unwell, seek medical advice immediately - show the label where possible)

P.O. Box 16887, Jebel Ali Free Zone,  
Dubai, United Arab Emirates  
Tel: +971 4 883 50 39 Fax: +971 4 883 58 53  
Website: [www.anglogulf.com](http://www.anglogulf.com)

Registered Address: P.O. Box 3136, Tortola, British Virgin Islands

ص. ب. ١٦٨٨٧، جبل علي المنطقة الحرة  
دبي - الامارات العربية المتحدة  
هاتف: +٩٧١ ٤ ٨٨٣ ٥٠ ٣٩ فاكس: +٩٧١ ٤ ٨٨٣ ٥٨ ٥٣  
E-mail: [agadxbme@emirates.net.ae](mailto:agadxbme@emirates.net.ae)